

PROFESSIONAL COMMUNICATIVE SKILLS OF SPECIALISTS IN WORKING WITH INDIVIDUALS IN A STATE OF PSYCHOLOGICAL DEPRESSION

Umirziyayeva Shahnoza Gapirjanovna

Social worker of “Toymas” mahalla citizens’ assembly, Chust
district, Namangan region

Tel: +998972512244

Abstract: *This article examines the professional communicative skills required for specialists who work with individuals experiencing psychological depression or depressive states. The relevance of the research is determined by the fact that depression affects emotional stability, motivation, interpersonal relations and social participation; therefore, the quality of communication between a specialist and a client becomes an essential factor in support, referral and rehabilitation. The aim of the article is to identify the main communicative competencies that help a specialist establish trust, ensure emotional safety, recognize risk signals, respect ethical boundaries and support the client without stigma or pressure. The study uses descriptive, analytical, comparative and practice-oriented methods. The research analyzes scientific literature, international mental health recommendations and the communicative experience of social work and psychological support. The results show that effective work with depressed individuals requires active listening, empathy, non-judgmental speech, confidentiality, culturally sensitive language, clear questioning, crisis-oriented communication and interprofessional referral skills. The article concludes that professional communication is not an auxiliary element, but a central component of ethical and effective assistance to people in depressive states.*

Keywords: *psychological depression, professional communication, communicative competence, empathy, active listening, social work, mental health, ethical communication, client support, crisis communication.*

Annotatsiya: *Ushbu maqolada ruhiy tushkunlik yoki depressiv holatdagi insonlar bilan ishlashda mutaxassisga zarur bo'lgan kasbiy kommunikativ malakalar tahlil qilinadi. Tadqiqotning dolzarbligi shundaki, depressiv holat insonning emotsional barqarorligi, motivatsiyasi, ijtimoiy munosabatlari va hayotiy faolligiga ta'sir ko'rsatadi. Shu sababli mutaxassis va mijoz o'rtasidagi muloqot sifati yordam ko'rsatish, yo'naltirish va ijtimoiy-psixologik qo'llab-quvvatlash jarayonida muhim ahamiyat kasb etadi. Maqolada faol tinglash, empatiya, baholamasdan munosabat bildirish, maxfiylik, madaniy sezgirlik, aniq savol berish, inqirozli vaziyatda to'g'ri muloqot qilish va boshqa mutaxassislarga yo'naltirish malakalari yoritiladi.*

Kalit so'zlar: *ruhiy tushkunlik, kasbiy muloqot, kommunikativ kompetensiya, empatiya, faol tinglash, ijtimoiy ish, ruhiy salomatlik, etika, mijozni qo'llab-quvvatlash.*

Аннотация: *В статье анализируются профессиональные коммуникативные навыки, необходимые специалистам при работе с людьми, находящимися в состоянии психологической депрессии или эмоционального упадка. Актуальность исследования обусловлена тем, что депрессивное состояние влияет на эмоциональную устойчивость, мотивацию, социальные отношения и активность человека. Поэтому качество общения между специалистом и клиентом становится важным условием поддержки, направления и социально-психологической помощи. В статье рассматриваются активное слушание, эмпатия, безоценочное отношение, конфиденциальность, культурная чувствительность, ясная*

постановка вопросов, кризисная коммуникация и навыки межпрофессионального взаимодействия.

***Ключевые слова:** психологическая депрессия, профессиональное общение, коммуникативная компетентность, эмпатия, активное слушание, социальная работа, психическое здоровье, этическое общение, поддержка клиента.*

INTRODUCTION

Mental health has become one of the most important social and humanitarian issues of the modern world. Psychological depression and depressive states affect not only the internal emotional condition of an individual, but also family communication, social activity, educational and professional functioning, and the ability to make everyday decisions. According to the World Health Organization, depressive disorder is a common mental disorder characterized by persistent depressed mood or loss of interest in activities for long periods of time, and it can affect all areas of life. This means that depression should not be understood only as a temporary sadness, but as a condition that requires careful, respectful and competent support.

In social work, education, health care and community support, specialists often meet people who experience hopelessness, emotional exhaustion, social withdrawal, irritability, anxiety, guilt or low self-esteem. In such situations, the first professional contact may determine whether the person feels safe enough to speak openly or becomes more isolated. Therefore, communicative competence is one of the most important professional qualities of a specialist working with individuals in a depressive state.

Professional communication in this context differs from ordinary conversation. It requires purposeful listening, emotional sensitivity,

ethical responsibility, the ability to ask questions without pressure, awareness of personal boundaries and knowledge of referral mechanisms. A specialist must be able to support the person without diagnosing beyond professional authority, without judging, blaming or simplifying the person's suffering. The communicative behavior of the specialist should create trust and reduce the psychological barrier between the client and support services.

The relevance of this topic is especially high for social workers and community-level specialists. In many cases, people experiencing depressive symptoms first turn not to a psychiatrist or psychologist, but to a family member, teacher, mahalla worker, social worker or other trusted community representative. For this reason, professionals working close to the population need basic communicative skills that help them identify emotional distress, provide first-line psychosocial support and refer the person to appropriate specialized help when necessary.

The aim of this article is to analyze the professional communicative skills of specialists working with individuals in a state of psychological depression. The main tasks are: to clarify the role of communication in support work; to identify key verbal and non-verbal skills; to examine ethical and cultural aspects of communication; to describe practical communicative strategies for trust-building, risk awareness and referral; and to show the importance of interprofessional cooperation.

LITERATURE REVIEW AND METHODS

The theoretical basis of the study is formed by research in psychology, social work, communication studies and mental health support. In modern mental health literature, communication is considered a fundamental part of helping relationships. The American Psychological Association's guideline on depression emphasizes evidence-

based psychological treatment and the importance of appropriate professional support. The WHO mhGAP Intervention Guide also stresses assessment, psychosocial interventions and collaborative treatment planning for people with mental, neurological and substance use conditions in non-specialized health settings.

A significant part of the literature highlights the role of the therapeutic alliance. Although social workers are not always clinical therapists, the principles of alliance-building are relevant to their practice: trust, agreement on goals, respectful cooperation and emotional safety. In work with depressed individuals, these qualities are particularly important because depressive states may be accompanied by pessimism, self-blame, low motivation and distrust toward support.

NICE guidance on depression in adults emphasizes shared decision-making and person-centered care. From the communicative point of view, this means that the client should not be treated as a passive object of help. The specialist should explain options clearly, listen to preferences, respect dignity and avoid coercive or stigmatizing language. This approach is also consistent with ethical principles of social work: respect for the person, confidentiality, non-discrimination and professional responsibility.

The study used several methods. First, the descriptive method was used to define the main concepts: psychological depression, communicative competence, active listening, empathy and ethical communication. Second, the analytical method was applied to examine the role of communication in the support process. Third, the comparative method was used to compare ordinary everyday conversation with professional support communication. Fourth, the practice-oriented

method was used to develop a classification of communicative skills that can be used by social workers and other helping specialists.

The research material includes scientific literature on depression and communication, international guidelines and practice-based observations of social support situations. The article does not provide clinical diagnosis or treatment recommendations. Its focus is the communicative and professional culture of specialists who interact with people experiencing depressive states and who may need to refer them to psychologists, psychiatrists, physicians or crisis services when required.

RESULTS AND DISCUSSION

1. The role of communication in working with depressed individuals

The results of the analysis show that communication performs several functions in work with individuals in a depressive state. First, it creates emotional safety. A person who feels psychologically vulnerable may be afraid of being misunderstood, criticized or ignored. Therefore, the specialist's first task is to demonstrate acceptance and calm attention. This can be achieved through a respectful greeting, soft tone, open posture, patient listening and short supportive responses.

Second, communication helps clarify the person's needs. Depression may reduce the client's ability to explain feelings clearly. The specialist should use open-ended questions such as "Can you tell me what has been most difficult recently?" or "What kind of support would be useful for you now?" Such questions do not force the person into a fixed answer and allow them to describe their experience in their own words.

Third, communication reduces stigma. In many communities, people may hesitate to talk about depressive feelings because of fear of shame or social judgment. When a specialist uses respectful and non-

stigmatizing language, the person may begin to understand that seeking help is not weakness, but a responsible step toward recovery and support. Expressions such as “many people go through difficult emotional periods” or “you deserve support” can decrease the feeling of isolation.

2. Active listening as a basic professional skill

Active listening is one of the central communicative skills in work with depressed individuals. It includes attentive silence, short verbal confirmations, paraphrasing, clarification and summarizing. Active listening shows the client that their words are taken seriously. For example, if a person says, “I feel tired of everything,” the specialist may respond, “It sounds as if you have been carrying a very heavy emotional burden.” Such a response does not deny the person’s feeling and does not immediately give advice. It first recognizes the emotional content of the message.

A common communication mistake is to respond too quickly with ready advice: “Do not worry,” “Everything will be fine,” “You just need to be strong.” Although such expressions may be said with good intentions, they can make the person feel unheard. Professional communication requires listening before advising. In many cases, the depressed person needs validation, patience and a sense of being understood before practical steps can be discussed.

3. Empathy and non-judgmental attitude

Empathy is the ability to understand another person’s emotional state and to communicate that understanding appropriately. In professional practice, empathy does not mean pity or emotional over-involvement. It means respectful emotional presence. A specialist should avoid blaming questions such as “Why did you let this happen?” or “Why cannot you control yourself?” Instead, the specialist should use

supportive and neutral formulations: “What has contributed to this situation?” or “What makes this period especially difficult for you?”

A non-judgmental attitude is important because depressive states are often accompanied by shame, guilt and self-criticism. If the specialist uses judgmental language, these feelings may deepen. Therefore, professional speech should be free from humiliation, sarcasm, pressure and moralizing. The specialist’s words should help the person feel dignity, not inferiority.

4. Verbal and non-verbal communication

Communication is not limited to words. Non-verbal behavior strongly influences trust. Eye contact, body posture, facial expression, tone of voice, pace of speech and physical distance can either support or weaken the helping relationship. A calm voice, stable posture and attentive facial expression communicate safety. In contrast, looking at the phone, interrupting, speaking sharply or showing impatience may increase the client’s anxiety.

However, non-verbal communication should be culturally appropriate. In Uzbek social culture, respect, modesty and interpersonal distance have special importance. A specialist should consider age, gender, social status and family context when communicating. For example, older clients may expect formal respect, while young people may need a more open and less hierarchical communication style. Cultural sensitivity helps the specialist build trust without violating social norms.

Communicative skill	Purpose	Recommended practice	Possible mistake to avoid
Active listening	To understand the client’s emotional state	Use silence, paraphrasing and clarification	Interrupting or giving immediate advice

Empathy	To create emotional safety	Recognize feelings without exaggeration	Pity, moralizing or blame
Clear questioning	To identify needs and risks	Ask open and respectful questions	Interrogation or pressure
Confidentiality	To build trust	Explain privacy and its limits	Sharing personal information without consent
Referral communication	To connect the person with help	Explain why specialized support may be useful	Sending the person away without explanation
Crisis communication	To respond to danger signs	Remain calm and seek urgent help when needed	Ignoring risk or promising secrecy in unsafe situations

Table 1. Core communicative skills of a specialist working with people in depressive states.

5. Ethical communication and professional boundaries

Professional communication with depressed individuals must be based on ethical principles. Confidentiality is one of the most important principles. The specialist should explain that the person's information will be protected, but also clarify that confidentiality has limits if there is a serious risk of harm to the person or others. This explanation should be given calmly and clearly so that the client understands the purpose of safety procedures.

Another ethical requirement is professional boundary awareness. A social worker or other non-clinical specialist should not present themselves as a psychiatrist or psychotherapist if they do not have such qualifications. Their role is to listen, support, assess social needs, reduce barriers, involve family or community resources when appropriate, and refer the person to qualified mental health professionals. Clear professional boundaries protect both the client and the specialist.

6. Crisis-oriented communication and risk awareness

In some cases, depressive states may be accompanied by self-harm thoughts or suicidal risk. A specialist must take such signs seriously and should not ignore direct or indirect statements about hopelessness, unbearable pain or the desire not to live. Crisis-oriented communication requires calmness, direct but respectful questions, immediate safety planning and referral to emergency or specialized services. Asking about safety does not mean accusing the person; it means showing responsibility.

If a person expresses immediate danger to themselves or others, the specialist should not leave them alone and should follow local emergency and institutional procedures. In such situations, communication must be clear, simple and supportive: “I am concerned about your safety, and I want to help you get immediate support.” This type of language combines care with professional action.

7. Communicative mistakes that reduce support effectiveness

The discussion also revealed several communicative mistakes that may reduce the effectiveness of support. These include minimizing the person’s suffering, comparing them with others, forcing optimism, blaming, excessive questioning, giving unrealistic promises, and discussing confidential information with others. Another common mistake is to treat silence as resistance. In depressive states, silence may indicate fear, fatigue, shame or difficulty expressing feelings. A specialist should allow pauses and not rush the client.

Communication should also avoid labels such as “weak,” “lazy,” “ungrateful” or “problematic.” Such words increase stigma and can damage trust. Instead, the specialist should focus on the situation and

needs: “You are going through a difficult period,” “Let us think together about what support is possible,” or “We can take one step at a time.”

8. Interprofessional cooperation

Work with depressed individuals cannot be reduced to communication alone. Communication becomes effective when it is connected with practical support and professional cooperation. Social workers may need to cooperate with psychologists, psychiatrists, family doctors, educational institutions, local authorities and family members when appropriate and with consent. The specialist’s communicative role includes explaining referral, reducing fear of specialized help and supporting continuity of care.

A competent specialist should know what services are available in the community and how to guide the person toward them. In this sense, communication is not only emotional support, but also a bridge between the individual and the system of care. Clear explanation of available services may reduce uncertainty and increase the person’s willingness to receive help.

CONCLUSION

The study shows that professional communicative skills are essential in working with individuals in a state of psychological depression. Communication is not a secondary element of support work; it is one of the main tools through which trust, emotional safety, ethical responsibility and referral are established. A specialist’s words, tone, listening style and non-verbal behavior can either open or close the path to further help.

The most important communicative skills include active listening, empathy, non-judgmental attitude, clear and respectful questioning, confidentiality, culturally sensitive speech, crisis-oriented

communication and referral competence. These skills are especially important for social workers and community-level specialists who may be the first professional contacts for people experiencing depressive states.

The article concludes that specialists should develop communicative competence as a professional responsibility. Training programs for social workers, educators and community support specialists should include modules on mental health communication, stigma reduction, crisis response and ethical boundaries. Such training can improve the quality of assistance, protect vulnerable individuals and strengthen cooperation between social, psychological and medical services.

In general, working with people in depressive states requires not only knowledge, but also humanity, patience, empathy and professional discipline. The specialist who communicates carefully and ethically can become an important source of support and a bridge to further professional help.

REFERENCES

1. American Psychological Association. Clinical Practice Guideline for the Treatment of Depression Across Three Age Cohorts. – Washington, DC: APA, 2019.
2. Arnow B. A. et al. The Relationship Between the Therapeutic Alliance and Treatment Outcome in Two Distinct Psychotherapies for Chronic Depression. – Journal of Consulting and Clinical Psychology, 2013.
3. Beck J. S. Cognitive Behavior Therapy: Basics and Beyond. – New York: Guilford Press, 2020.
4. Corey G. Theory and Practice of Counseling and Psychotherapy. – Boston: Cengage Learning, 2017.

5. Dobson K. S. Therapeutic Relationships in Cognitive Behavioral Therapy. – Psychotherapy Research, 2023.
6. Egan G. The Skilled Helper: A Problem-Management and Opportunity-Development Approach to Helping. – Boston: Cengage Learning, 2014.
7. Gautam S. et al. Clinical Practice Guidelines for the Management of Depression. – Indian Journal of Psychiatry, 2017.
8. National Institute for Health and Care Excellence. Depression in Adults: Treatment and Management. NICE Guideline NG222. – London: NICE, 2022.
9. National Institute of Mental Health. Depression. – NIMH Health Information, 2025.
10. Rogers C. R. On Becoming a Person: A Therapist's View of Psychotherapy. – Boston: Houghton Mifflin, 1961.
11. World Health Organization. Depression Fact Sheet. – Geneva: WHO, 2025.
12. World Health Organization. mhGAP Intervention Guide for Mental, Neurological and Substance Use Disorders in Non-Specialized Health Settings. Version 2.0. – Geneva: WHO, 2016.
13. World Health Organization. Mental Health Gap Action Programme (mhGAP). – Geneva: WHO, 2019.
14. Zisman-Ilani Y. et al. Shared Decision Making in Mental Health: International Perspectives. – Patient Education and Counseling, 2021.
15. Климов Е. А. Психология профессионала. – Москва: Институт практической психологии, 1996.